

DEPARTMENT OF TRANSPORTATION

DES-OE MS #43
1727 30TH Street, 2ND Floor
Sacramento, CA 95816



**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

April 23, 2004

02-Las-44-23.3
02-361804
ACNHG-P044(041)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in LASSEN COUNTY ABOUT 37 KM EAST OF OLD STATION AT THE BOGARD SAFETY ROADSIDE REST AREA.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on April 28, 2004.

This addendum is being issued to revise the Project Plans and the Notice to Contractors and Special Provisions.

Project Plan Sheet 39 is revised as follows:

All notations which refer to Faucet Assemblies being State-Furnished are deleted.

In the Special Provisions, Section 10-1.32 is added as follows:

"10-1.32 FAUCET ASSEMBLIES

Faucet assembly work shall consist of furnishing and installing faucet assemblies and risers as shown on the plans and as specified in these special provisions, and as directed by the Engineer.

Each faucet assembly shall consist of a vertical pipe riser, enclosed in a redwood post, hands free spring loaded faucet, ball check valve, square shank gate valve, and a gravel turf covered sump or enclosed with a concrete depression (for pet areas) as shown on the drawings.

The faucet assembly shall also include a drain line as shown on the plans.

MATERIALS

The faucet shall be a spring loaded-self closing- hands free vandal resistant type with an integral flange and handle, cast in either brass or bronze.

An automatic ball-check valve shall be installed at the base of the riser, to drain the line when not in use.

Gate valve shall be either bronze or brass construction with either a square shank stem or slotted stem for a long shank turn off key.

Post shall be select clear grade, redwood, with a saw textured finish, with a rabbet for encasement of piping where shown on the plans.

Moisture content of the redwood shall not exceed 23 percent. Gravel shall be clean, crushed, and screened from local sources and shall be conforming to a nominal size of 20 mm and less.

Riser pipe inside redwood shall be schedule 40 galvanized. All other pipe shall be schedule 40 PVC.

Addendum No. 2
Page 2
April 23, 2004

02-Las-44-23.3
02-361804
ACNHG-P044(041)E

APPLICATION

Gate valve shall be installed with a 50 mm rigid plastic pipe, schedule 40 PVC sleeve, and a brass locator cap, stamped on top with the word, "VALVE". Two long shank valve keys shall be furnished to the engineer.

MEASUREMENT AND PAYMENT

The contract lump sum price paid for Faucet Assembly shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in faucet assemblies, and installation of pipe complete in place, including furnishing and installing gate valves and valve boxes as specified in the Standard Specifications and these special provisions, and as directed by the Engineer."

To Proposal and Contract book holders:

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it. A copy of this addendum and the modified wage rates are available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer